

Serial No. 10/826,839

Claim 1 (currently amended). A bandana device for use by a vehicle rider wearing a helmet, to protect against dust impingement on the face, comprising, in combination:

- a) a generally triangular flexible protective fabric having two upper corners, with opposite sides,
- b) each upper corner defining an upper horizontal edge and a side edge extending generally normal to said upper edge,
- c) press-together connection components attached to the bandana, at said corners, one component on one side of the bandana, and another component on the opposite side of the bandana, said components extending proximate said edges,
- d) whereby when the bandana is applied to the wearer's face and said corners are brought together at the rear of the wearer's neck and below the lowermost rear edge of the helmet, said components are then positioned to be pressed together to retain the bandana tensioned over the wearer's face, and to exclude entrance of dust and dirt under the bandana[[]],

Serial No. 10/826,839

e) the components respectively having face area  $A_1$  and face area  $A_2$ , where

$$A_1 > A_2$$

allowing for tightening or loosening adjustment of the bandana, via the press-together components by shifting of the position of  $A_1$  relative to  $A_2$ ,

f) and wherein one component carries hook elements and the other component carries pile elements to connect to said hook elements when pressed together,

g) and wherein the bandana has folded triangular upper corner sections forming said corners,

h) each said folded corner section forming four layers of said fabric, said components stitched to said respective corner sections, said components having generally rectangular face area outline, whereby the components overlap angled edges defined by the respective corner sections.

Claims 5-9 (cancelled).

Claim 10 (original). The combination of claim 1 including resiliently yieldable means attaching at least one of said components to the bandana, whereby

Serial No. 10/826,839

the pressed together components may shift position, resiliently, relative to at least one of the bandana corners, when the bandana is tensioned over the wearer's face.

Claim 11 (cancelled).

Claim 12 (original). The combination of claim 1 including said helmet having its lower rear edge proximate but above said pressed together components.

Claim 13 (new). The combination of claim 1 wherein said components overlies the major lengths of said respective angled edges of the corner sections.